

BENTONITE

SECTION 1. IDENTIFICATION

Product Identifier	BENTONITE
Other Means of Identification	Natural Mineral, Montmorillonite
Product Family	Viscosifier
Recommended Use	Drilling Fluid Additive.
Supplier	Bri-Chem Supply Ltd., Bay 4, 5510 - 3rd Street SE, Calgary, Alberta, T2H 1J9, Bri-Chem Supply, 403-252-5904, www.brichemsupply.com
Emergency Phone No.	ChemTrec, (800) 424-9300, 24/7

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Carcinogenicity - Category 1A; Specific target organ toxicity (repeated exposure) - Category 1

GHS Label Elements



Signal Word:
WARNING!

This product contains a small amount of quartz (CAS# 14808-60-7) that may cause delayed respiratory disease if inhaled over a prolonged period of time.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
BENTONITE	1302-78-9		
Silica, quartz	14808-60-7		

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If breathing has stopped, trained personnel should begin rescue breathing. If breathing is difficult, have qualified personnel administer oxygen. Get prompt medical attention.

Skin Contact

No first aid should be needed since this product does not affect the skin. Wash exposed skin with soap and water before breaks and at the end of the work day.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If a contact lens is present, DO NOT delay flushing or attempt to remove the lens. If eye irritation persists, get medical advice/attention.

Product Identifier: BENTONITE
Date of Preparation: January 08, 2016

Most Important Symptoms and Effects, Acute and Delayed

If in eyes:

May cause mild irritation. Symptoms include sore, red eyes, and tearing.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Not combustible. Use extinguishing agents compatible with product and suitable for surrounding fire.

Special Protective Equipment and Precautions for Fire-fighters

Material is slippery when wet.

A full-body encapsulating chemical protective suit with positive pressure SCBA may be necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Evacuate the area immediately.

Methods and Materials for Containment and Cleaning Up

Avoid generating dust. Collect using shovel/scoop or approved HEPA vacuum and place in a suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Only use where there is adequate ventilation. Avoid generating dusts. Avoid repeated or prolonged skin contact with product or with contaminated equipment/surfaces. Material is slippery when wet.

It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling.

Conditions for Safe Storage

Store in a cool, dry, well ventilated place. Storage place may become slippery if wetted.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

(silica, quartz)

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. TWA = Time-Weighted Average. 0.025 mg/m³ (respirable fraction)

OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.

Respirable quartz = 10 mg/m³ divided by the value of "%SiO₂ + 2"

Total quartz = 30 mg/m³ divided by the value of "%SiO₂ + 2"

(nuisance dust)

OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits. 15 mg/m³ (total dust); 5 mg/m³ (respirable dust).

Appropriate Engineering Controls

Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash in work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Protective gloves are recommended. Protective clothing or equipment as appropriate for work environment. Dusty clothing should be laundered before re-use.

Respiratory Protection

Wear a NIOSH approved air-purifying respirator with an appropriate cartridge.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Product Identifier: BENTONITE

Date of Preparation: January 08, 2016

Page 2 of 04

Basic Physical and Chemical Properties

Appearance	Tan - grey powder. Particle Size: Not available
Odour	Odourless
pH	8 - 10 (5% solution)
Melting Point/Freezing Point	Not applicable (melting)
Initial Boiling Point/Range	Not applicable
Vapour Pressure	Not applicable
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	2.45 - 2.55
Solubility	Insoluble in water
Other Information	
Physical State	Solid
Bulk Density	800 - 1169 kg/m ³ (50 - 73 lb/ft ³)

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

Conditions to Avoid

Water, moisture, humidity.

SECTION 11. TOXICOLOGICAL INFORMATION

Skin Corrosion/Irritation

Possible drying resulting in dermatitis.

No adverse effects expected.

Serious Eye Damage/Irritation

May cause mild irritation. Symptoms include sore, red eyes, and tearing.

Contact may cause mechanical irritation and possible injury. Individuals subject to eye irritation should not be exposed to crystalline silica dust.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

Short term exposure to dust levels exceeding PEL may cause irritation of the respiratory tract resulting in a dry cough.

OSHA PEL: Nuisance Dust (respirable fraction) = 5 mg/m³; (total dust) = 15 mg/m³.

Individuals with respiratory disease, including but not limited to asthma and bronchitis should not be exposed to crystalline silica dust.

Ingestion

No adverse effects expected for normal, incidental ingestion.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

This product has the potential for generation of respirable dust during handling and use. Dust may contain respirable crystalline silica. Overexposure to dust may result in pneumoconiosis, a respiratory disease caused by inhalation of mineral dust, which can lead to fibrotic changes to the lung tissue, or silicosis, a respiratory disease by inhalation of silica dust, which can lead to inflammation and fibrosis of the lung tissue.

Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (Group 1 - carcinogenic to humans).

Product Identifier: BENTONITE

Date of Preparation: January 08, 2016

Page 3 of 04

Carcinogenicity

(silica quartz): IARC: Group 1 – Carcinogenic to humans. ACGIH®: A2 – Suspected human carcinogen. NTP: Known human carcinogen.

No information was located for: Respiratory and/or Skin Sensitization, Sexual Function and Fertility, Germ Cell Mutagenicity

SECTION 12. ECOLOGICAL INFORMATION

No ecotoxicity or environmental fate data available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of in accordance with federal, provincial/state and local regulations. Caution: slippery when wet.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG Regulations.

Special Precautions for User Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

WHMIS Classification



Class D2A

D2A - Very Toxic

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All the components of this product are listed on the Canadian Domestic Substances List or exempt from notification requirements.

SECTION 16. OTHER INFORMATION

NFPA Rating	Health - 1	Flammability - 0	Instability - 0
SDS Prepared By	Bri-Chem Supply Ltd		
Phone No.	(403) 252-5904		
Date of Preparation	January 08, 2016		
Disclaimer	This Health and Safety information is correct to the best of our knowledge and belief at the date of its publication, but we cannot accept liability for any loss, injury or damage which may result from its use. We shall ensure, so far as is reasonably practicable, that any revision of this Data Sheet is sent to all customers to whom we have directly supplied this substance, but must point out that it is the responsibility of any intermediate supplier to ensure that such revision is passed to the ultimate user. The information given in the Data Sheet is designed only as guidance for safe handling, storage, and the use of the substance. It is not a specification nor does it guarantee any specific properties. All chemicals should be handled only by competent personnel, within a controlled environment. Should further information be required, this can be obtained through the sales office whose address is at the top of this data sheet.		

Product Identifier: BENTONITE
Date of Preparation: January 08, 2016

Product Identifier: BENTONITE
Date of Preparation: January 08, 2016

Page 5 of 04